

We claim:

1. A molding composition composed of an olefin polymer containing
  - 5 a) from 5 to 50% by weight of glass fibers which are bonded to the olefin polymer by means of a compatibilizer, and
  - b) from  $10^{-4}$  to 1% by weight, in particular from  $10^{-3}$  to  $10^{-1}$ % by weight, of a phthalocyanine pigment as a nucleating agent.
- 10 2. A molding composition as claimed in claim 1, wherein the olefin polymer is a propylene polymer.
3. A molding composition as claimed in claim 1 or 2, wherein the glass fibers are cut glass  
15 fibers.
4. A molding composition as claimed in any of claims 1 to 3, comprising from 10 to 40% by weight, in particular from 20 to 40% by weight, of glass fibers.
- 20 5. A molding composition as claimed in any of claims 1 to 4, wherein the compatibilizer comprises an olefin polymer, in particular a propylene polymer, functionalized with polar groups.
6. A molding composition as claimed in claim 5, wherein the functionalized compatibilizer  
25 comprises an olefin polymer grafted with maleic anhydride and an aminosilane or epoxysilane.
7. A molding composition as claimed in any of claims 2 to 6, wherein the propylene polymer is a propylene homopolymer.
- 30 8. A molding composition as claimed in any of the preceding claims, wherein the olefin polymer has a melt-mass flow rate to ISO 1133 at 230°C and 2.16 kg of between 0.5 and 100 g/10 min, preferably between 2 and 30 g/10 min.
- 35 9. A process for producing molding compositions as claimed in any of the preceding claims, wherein, in a mixing apparatus, the propylene polymer is initially melted and mixed with the nucleating agent at temperatures of from 180 to 320°C, and the glass fibers are subsequently mixed with the melt.

10. The use of the molding compositions as claimed in any of claims 1 to 8 as moldings for automobile construction or as a wash liquor vessel, water pump casing and liquor pump casing.
- 5 11. A wash liquor vessel, water pump casing and liquor pump casing obtained from the molding compositions as claimed in any of claims 1 to 8.
12. A motor vehicle part, in particular a covering part of a motor vehicle, obtained from the molding compositions as claimed in any of claims 1 to 8.

10

15

20

25

30

35

40